IN THE CLAIMS

Please cancel claims 3, 11, and 19.

Please amend claims 1, 4, 9, 12, 17, 18 and 20 as indicated below.

(Currently Amended) A computing system comprising:

 an application configured to initiate write transactions;
 a first storage device configured to store data corresponding to said write transactions;

a memory pool; and

a replicator component configured to:

monitor said write transactions; and
allocate buffers from said memory pool for said write transactions; and
modify system resources in response to I/O characteristics of said
monitored write transactions, wherein modifying said system
resources includes modifying a size of said memory pool.

- 2. (Original) The computing system as recited in claim 1, wherein said replicator is further configured to record data indicative of said characteristics.
- 3. (Cancelled).
- 4. (Currently Amended) The computing system as recited in claim [[3]] 1, further comprising a log volume, and wherein said replicator is further configured to store said write transactions in said log volume.
- 5. (Original) The computing system as recited in claim 2, wherein said application, first storage device, and replicator are within a first node of said system, and wherein said system includes a second node with a second storage device coupled to said first node, wherein said replicator component is further configured to convey said write transactions to said second node.

- 6. (Original) The computing system as recited in claim 5, wherein said second node includes a pool of buffers, each of which is configured to store a write transaction received from said first node, and wherein said replicator component is further configured to modify a size of said pool of buffers in said second node in response to said characteristics.
- 7. (Original) The computing system as recited in claim 2, wherein said replicator is further configured to: provide said recorded characteristics for display; provide guidelines for modifying resources of said system; and modify said resources based upon user input.
- 8. (Original) The computing system as recited in claim 6, wherein said replicator component is configured to access said recorded data responsive to detecting an event.
- 9. (Currently Amended) A method comprising: initiating write transactions; allocating buffers from a memory pool for said write transactions; storing data corresponding to said write transactions; conveying said write transactions to said first storage device; monitoring said write transactions; and modifying system resources in response to I/O characteristics of said monitored write transactions, wherein said modifying includes modifying a size of said memory pool.
- 10. (Original) The method as recited in claim 9, further comprising recording data indicative of said characteristics.
- 11. (Cancelled).

- 12. (Currently Amended) The method as recited in claim [[11]] 9, further comprising storing said write transactions in a log volume.
- 13. (Original) The method as recited in claim 10, further comprising conveying said write transactions a second node.
- 14. (Original) The method as recited in claim 13, wherein said second node includes a pool of buffers, each of which is configured to store a write transaction received from said first node, and wherein said method further comprises modifying a size of said pool of buffers in said second node in response to said characteristics.
- 15. (Original) The method as recited in claim 10, further comprising:

providing said recorded statistics for display; providing guidelines for modifying resources of said system; and modifying said resources based upon user input.

- 16. (Original) The method as recited in claim 14, further comprising accessing said recorded data responsive to detecting an event.
- 17. (Currently Amended) A earrier machine readable storage medium comprising program instructions, wherein said program instructions are executable to: initiate write transactions;

allocate buffers from a memory pool for said write transactions; store data corresponding to said write transactions;

monitor said write transactions; and

modify system resources in response to I/O characteristics of said monitored write transactions, wherein modifying said system resources includes modifying a size of said memory pool.

- 18. (Currently Amended) The <u>carrier storage</u> medium as recited in claim 17, wherein said program instructions are further executable to record data indicative of said characteristics.
- 19. (Cancelled).
- 20. (Currently Amended) The earrier storage medium as recited in claim [[19]] 17, wherein said program instructions are further executable to: convey said write transactions from a first node to a buffer allocated from a pool of buffers within a second node; and modify a size of said pool of buffers in said second node in response to said characteristics.